Programme of 12th ENMESH Conference, 5-7 October 2017, Groningen, The Netherlands

Pre-conference workshop 1: Personalized treatment in mental health care

Tuesday, October 3, 15.30-18.30 and Wednesday October 4, 10.00-16.30

Pre-conference workshop 2: Everything you always wanted to know about Experience Sampling

Wednesday October 4, 14.00-17.30

Guided tour Groningen

Wednesday, October 4, 18.00-19.00; Departure from Martini Tower

Thursday, October 5

8.00-9.00: Registrat	8.00-9.00: Registration			
9.00-9.45: Opening	session (Welcome addresses, Presidential addresses)		
Chairs: Schene & Br	uggemar	n; Room: Blauwe zaal		
Schene	NL	Chair 1 st ENMESH conference in 1994		
Slade	UK	Chair ENMESH Board		
Poppema	NL	President University of Groningen		
Bruggeman	NL	Chair Scientific Committee of 12 th ENMESH conference in 2017		
9.45-10.30: Opening	g Keynot	e lecture		
Chairs: Schene & Br	uggemar	n; Room: Blauwe zaal		
Killaspy	UK	Complex individuals in a complex society; how complex needs services should be the		
Кіпазру	UK	quality benchmark for mental health care		
10.30-11.15: Coffee break				
11.15-12.15: Parallel Symposium sessions 1.1-1.7				
Summasium 1 1./Or	ganicarı	Van Weeghel, NL; Chair/Discussant: Brouwers, NL; Room: Blauwe zaal)		
· ·	_	pport for people with severe mental health problems seeking regular employment or		
		., , ,		
education, research	education; research findings on novel approaches in four European countries Desirable law and feeling better-A randomized controlled trial of supported			
Bejerholm	S	employment adapted for people with affective disorders		
01	D.V	Individual Placement and Support, cognitive training and work related social skills		
Christensen	DK	training in Denmark: a randomized controlled trial		
Michon	NII	Individual Placement & Support for welfare recipients with serious mental illnesses:		
Michon	NL	lessons learned from a pilot in the city of The Hague		
6 1 1 11	N	A Randomized Controlled Multicenter Trial of Individual Placement and Support (IPS)		
Sveinsdottir		for Patients with Moderate to Severe Mental Illness in Norway		
Ton Volden	N	JobPrescription: A supported employment approach allowing for internships as part of		
Ten Velden	N	job search for persons with first episode psychosis		

		Ruggeri, I; Co-chair Bebbington, UK; Discussant Kuiper, UK; Room: Rode zaal) nd usefulness of individualized approaches in first episode psychosis: Data from "real
Comacchio	I	Clinical and social trajectories of first episode psychosis patients over 5 years: the role of gender differences
De Santi	I	From childhood adversity to first-episode psychosis: the effects of abuse and neglect on symptom profile. Data from the GET UP PIANO Trial
Tomassi	I	The influence of childhood trauma on diagnosis and substance use in first episode psychosis. Data from the GET UP PIANO Trial
Onwumere	UK	Can we identify pre-treatment characteristics that predict or moderate treatment outcomes for carers following multi element psychosocial intervention in early psychosis? Findings from the GET UP Piano trial
	_	Gillard, UK; Chair/Discussant: Craig, UK; Room: Ronde zaal)
Establishing the effe	ectivenes	ss of peer support in mental health services
Marks	UK	Peer support for discharge from inpatient to community mental health care: trial fidelity and the principles of peer support
Lloyd-Evans	UK	Randomised controlled trial of a peer-provided, self-management intervention for people following mental health crisis
White	UK	An alternative approach to evaluate the effectiveness of a community based programme of peer support
Mahlke	D	One-to-one peer support for individuals with SMI
Symposium 1.4: (Or	ganiser:	Roosenschoon, NL; Chair/Discussant: Van der Meer, NL; Room: Lokaal 16)
Evaluation of multip	ole meth	odologies for Recovery Supportive Care for people with severe mental illness
Roosenschoon	NL	Effectiveness of Illness management and recovery (IMR), results of an RCT in the Netherlands
Bratberg	DK	Patients' lived experiences with the Illness Management and Recovery program –my main goal was about everyday life'
Beentjes	NL	The evaluation of an e-supported Illness Management and Recovery program for patients with Severe Mental Illnesses
Bitter	NL	Effectiveness of the Comprehensive Approach to Rehabilitation (CARe) Methodology: A Cluster Randomized Trial
Roeg	NL	Recovery and daily life: A review on controlled studies on psychosocial interventions in sheltered facilities for people with severe mental illness
Symposium 1.5: (Or	ganiser:	Swildens, NL; Chair/Discussant: Pijnenborg, NL; Room: Lokaal 08)
	_	vith severe mental illness
Cahn	NL	Predicting Metabolic Syndrome with Machine learning in psychosis
Swildens	NL	Somatic care utilization and needs for somatic health care of patients with Severe Mental Illness
Bruins	NL	It's not always sunny in Groningen. Vitamine D, metabolic risk and negative symptoms in people with psychotic disorders
Van Meijel	NL	Implementation of somatic screening and lifestyle interventions in patients with SMI
-	ganiser:	Lesage, CDN; Chair/Discussant: Bland, CDN; Room: Lokaal 05)
		plicies- the story of a forthcoming Canadian federal mental health transition fund and
_	-	re or greater access to psychotherapy
Vasiliadis	CDN	Influencing mental health policies- the story of access to psychotherapy for common mental disorders in Canada and France, inspired by the UK and Australia models
Kovess-Masfety	F	Experimentation of a management by non-drug therapies in some French regions in the primary care context
Symposium 1.7: (Or	ganiser:	Van der Ende, NL; Room: Carré zaal)
Family focused supp	_	
Van der Ende	NL	Parenting and psychiatric rehabilitation: supporting families
Van der Meer-		Explanations for intergenerational transference of addiction: Perspective of the person
Jansma	NL	with parent(s) who suffers from addiction
		i i i i i i i i i i i i i i i i i i i

	<u> </u>	Familiary and Name of Familiary and State of Sta
Broekema	NL	Families' and Nurses' Experiences with Family Nursing Conversations in Home Health Care
12.15-13.00: Lunch		
13.00-14.00: Guide	d Poster	sessions Themes 1-5
Guided poster sessi Assessment: Under		e 1; Chair: Clark (UK) the context
Sepehri	IR	Reliability and Validity of Farsi Version of Standardized Assessment of Personality - Abbreviated Scale (SAPAS)
Spits	NL	Concurrent validity of the MATE-Q: a self-report assessment instrument developed in substance abuse treatment
De Vetten	NL	The Need and Nature of the Mental Health Services Reform in Moldova: A Situation Analysis
Almeda	Е	Assessment of the relative technical efficiency of Mental Health Services: A systematic review
Bladzinski	PL	The subjective experience of the situation of admission to a psychiatric ward from the perspective of patients
Metel	PL	Interactions between trauma, attachment and empathy among patients diagnosed with schizophrenia
Daren	PL	Cognitive functioning in employed and unemployed people with schizophrenia
Amani	IR	Comparing the Big-Five Personality Traits of Iranian Women in the Midst of Divorce and Women in the Normal State of Marriage, as Predictors of Divorce
Robles	E	A pilot study: Developing an assessment strategy for integrated care interventions in Mental Health in Catalonia
Litvan	А	Symptom severity and quality of life in the course of a cognitive behavioural therapy treatment
Molera Gui	В	Predictors of severe mentally ill patients' maintenance in follow-up
Connell	UK	The World Health Organization's concept of participation: A proposal for assessing mental health and evaluating outcomes in real world settings
Kaasbøll	N	Evaluation of a Norwegian pilot project: "Screening of child and adolescent mental health at the intake in residential youth care – and coordination of services"
Oudejans	NL	The workforce's patient experience: how and why it should be mined
Keetharuth	UK	Recovering Quality of Life (ReQoL): the reliability and validity of a new generic outcome measure for people with mental health conditions
Weston	UK	Selecting and testing mental health outcome measures for offenders and prisoners
Guided poster sessi	on Them	e 2; Chair: Germanavicius (LT)
Epidemiology: Meth	nodologic	cal approaches supporting personalised care
Grim	S	Development and testing of a web-based decision support for users and health professionals in psychiatric services
Caron	CDN	Psychosial And Environmental Predictors Of Well-being For Residents Of An Epidemiologic Catchment Area In Montreal, Canada
Piening	NL	The effect of Eye Movement Desensitization and Reprocessing (EMDR) in adult patients with an autism spectrum disorder and cormorbid post traumatic stress disorder
Hazo	F	Correlates of mental healthcare use: a research of social inequalities of mental healthcare use on a French representative transversal survey
Thoft Carlsen	DK	OmSorg (Dealing with Bereavement) Social consequences of childhood cancer late effects A Qualitative study of childhood cancer survivors' unique knowledge about late effects
Koene	NL	Assessment and recovery of self-regulation and executive functions in patients with bipolar disorder I
Janarv	S	DEAL - Shared Decision Making in planning of discharge from in-patient psychiatric care
Lesage	CDN	Individual, programmatic and systemic services indicators of quality of mental health care and suicide mortality in Quebec
Verhagen	NL	Constructing a reward-related Quality of Life function in daily life - a proof of concept study

Farhang	IR	Azerbaijan Acute phase/Recent onset Psychosis Survey (ARAS cohort): First episode psychosis in the context of Iranian culture
Cardoso	Р	The effect of the economic crisis on the use of services for mental health problems: first results of a national mental health survey follow-up
Hastrup	DK	Help-seeking behavior among persons with first-episode psychosis after implementation of an early detection team (The TOP study) Nationwide register-based study in Denmark
Beijers	NL	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study
Bos	NL	Getting a grip on your mood: the application of the experience sampling methodology to the treatment of bipolar disorder
Verhagen	NL	Demonstrating the applicability of an mHealth Routine Outcome Measurement tool for Mental Health using the Experience Sampling Method
Lesage	CDN	Depicting professional cultures of mental health workers: development and validation of the Bicocca Mental Health Professional Culture Inventory
Guided poster sess	ion Them	e 3; Chair: Keet (NL)
Approaches: Novel	approacl	nes using the patient's own context
Waldmann	D	Reducing barriers to help-seeking among unemployed individuals with mental health problems: a pilot RCT
Brunt	S	Is being satisfied with what you have the same as what you want? - a comparison of satisfaction with housing services with preferences among residents in housing facilities
Deenik	NL	The effects of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients on patient-oriented outcomes (MULTI-study)
Cichocki	PL	The use of masks in the treatment of patients with chronic auditory hallucinations
Tjornstrand	S	Active in My Home (AiMH) – a pilot and feasibility study of a lifestyle intervention in supported housing for people with psychiatric disabilities
San Pio	E	Evaluating an empowerment approach for people with mental health problems and their families towards its inclusion in public policies: Activa't per la Salut Mental (Get active for mental health)
Pinfold	UK	Building a theory of change for an intervention to address loneliness among people with complex depression and anxiety
Toney	UK	Qualitative and psychometric evaluation of a new Recovery College fidelity measure
Argentzell	S	From isolation to a feeling of belonging: The meaning of group participation in the Balancing Everyday Life (BEL) intervention for mental health service users
Hoff	DK	Does specialized psychiatric assessment improve return to work rates among absentees with common mental disorders?
Bordallo Aragón	E	Factors associated with the attitudes of general practitioners towards patients with mental illness, mental health and their relationship with mental health services
Inman	UK	Enabling a personalized approach to therapy: The development of an occupational therapy intervention specification for people with a diagnosis of psychosis
Verhaegh	NL	No reductionism: Psychiatry is about the whole person in her whole context with her whole history and that in a dialectical way
Martinez Jambrina	E	Clinical management in an ACT team in Spain
Deenik	NL	Evaluating the implementation of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients (MULTI-study)
· · · · · · · · · · · · · · · · · · ·		re 4; Chair: Knegtering (NL) or community mental health
Poremski	SGP	Are we meeting the continuity of care needs of mental health service users? A retrospective evaluation of the Integrated Patient Assessment and Continuous Engagement system
Smith	В	Influence of the patient socioeconomic status and subjective social status on the exposure to specialised and personal care continuity approach in Belgium
Fjellfeldt	S	Contradicting Logics and Idealistic Professionalism - A Case Study of the Development of a Swedish Community Mental Health Service Market

	1	From deinstitutionalisation to public montal health. Degianal action plans as a tool for
Markström	S	From deinstitutionalisation to public mental health; Regional action plans as a tool for promoting a new national policy in Sweden
		Clinical and socio-demographic variables associated with the outcome of a vocational
Galeazzi	I	rehabilitation programme in an Italian Community Mental Health Center
Kovess-Masfety	F	Access to care and spatial distribution of patients suffering from schizophrenia and bipolarity in 2015 in the French department of Ille et Vilaine
Nacci	ı	Mental health and multifactorial in schizophrenia: a study on young psychotic guests to rehabilitation facilities
Cristofalo	1	Trends, socio-demographic and clinical characteristics of migrants seeking psychiatric care in Verona, Italy
Brimblecombe	UK	Can the mental health of young people who provide unpaid care be improved by providing social care services to the person they support?
Nascimento	BR	Chronic abusive alcohol-related diseases mortality, community menlat health coverage and social vulnerability in São Paulo, Brazil, 2013
Fisker	DK	Integrated mental health care and vocational rehabilitation to improve return to work rates for people on sick leave because of common mental disorders (IBBIS)
Poulsen	DK	Design of the process evaluation of a cross-disciplinary intervention combining mental health care and vocational rehabilitation for people returning to work sick leave because of common mental disorders
Weyermann	D	Non-utilization of medical rehabilitation before the occurrence of early retirement due to psychological and behavioural disorders in Germany – prevalence and sociodemographic determinants
McDaid	UK	Cost-effectiveness of Healthy Activity Program(HAP), a lay counsellor-delivered brief psychological treatment for severe depression, in primary care in India alongside a randomised controlled trial
Galeazzi	I	Mental disorders and risk for committing and enduring Intimate Partner Violence: a review of the literature
Nascimento	BR	Suicide, community mental health services and social vulnerability in São Paulo, Brazil – Are there some relations?
Galeazzi	1	A qualitative approach to planning a psychoeducational intervention for people included in vocational rehabilitation programmes in an Italian Community Mental Health Centre
Guided poster sess Other	ion Them	e 5; Chair: Pijnenborg (NL)
Frattura	ı	TEXIEF: a thesaurus of expanded ICF Environmental Factor terms
Van Audenhove	В	How to prevent long-term absence from work? Developing a tool for general practitioners
Janssen	NL	Videoconferencing in mental health care: the visual novel as a means to stimulate awareness of a new care practice
Girardi	UK	Implementation of Safewards as evidence-based intervention to reduce conflict and containment in a secure psychiatric hospital across 5 pathways: men's and women's mental health, learning disability, adolescents and neuropsychiatry
Saldivia	RCH	Common mental disorders in primary care in Chile. Prevalence and cluster analisys
Broulíková	CZ	Cost-Effectiveness of Early Detection and Treatment for Alzheimer's Disease in Czechia
Serrano-Blanco	E	Inpatient costs of agitation and containment strategies in an urban area
Vasiliadis	CDN	Factors associated with hospital admission and readmission in older adults with psychiatric and physical comorbidity
Bais	NL	The Apathy Study: exploring the possibilities to treat apathy with non-invasive brain stimulation and behavioral activation therapy in patients with schizophrenia
Carroll	UK	Anecdotal tales from prison to community: The ins and outs of conducting a 'through-the-gate' Randomised Controlled Trial (Engager) with offenders with common mental health problems
Konings	NL	The Cost of Schizophrenia in the Northern Netherlands
Kuranova	NL	Micro-level emotional dynamics and future course of psychopathology in adolescents
Joseph	CDN	Immigration detention in Canada: a colonial technology of racial and eugenic violence in the mental health system

Amaddeo	ı	LGBTI people inequalities and barriers in health care settings: a new training for health
		professionals (Health4LGBTI EU project)
Van Dam	NL	CAT-I: When it works, it works? Implementation research to promote the daily use of Cognitive Adaptation Training (CAT)
Frattura	I	How to conceptualize and describe Individual Intervention Plans using the International Classification of Functioning Disability and Health: a test on a cohort of psychiatric outpatients
Saldivia	RCH	Design, implementation and evaluation of a psychosocial intervention to prevent anxiety and depression in older adults who seek attention in primary care centers in Chile. Protocol
Frattura	I	Individual mix of resources inpacting individual outcomes and their infographic comparisons: preliminar results in three cohorts of outpatients assessed using the VilmaFABER system
14.00-15.15: Keyno	te lectur	es Theme Epidemiology: Methodological approaches supporting personalised care
		Discussant: Kilian (D) ; Room: Blauwe zaal
Roe	IL	Using routine outcome measurement to improve personal care: paving bridges between data and people
Mihalopoulos	AUS	Is there a place for economics in mental health care?
15.15-16.15: Paralle	el Sympo	sium sessions 2.1-2.7
Symposium 2.1: (Or	rganiser:	Lloyd-Evans, UK; Room: Blauwe zaal)
	_	acute psychiatric hospital admission: Implementation and quality improvement
		Mental Health Acute Day Units in England: results from a national survey and the
Lamb	UK	ADCARE Study
Lloyd-Evans	UK	National implementation of Crisis Resolution Teams: findings from an English national survey
Johnson	UK	The CORE cluster-randomised trial of a service improvement programme for Crisis Resolution Teams
		Delivering a service improvement programme: Insights and lessons learned from a
Morant	UK	qualitative study of a programme to improve crisis resolution team functioning in England
Ruud	N	Observational study of practice, service users and outcome of Norwegian crisis resolution teams
Symposium 2.2: (Or	rganiser:	Wigman, NL; Chair/Discussant: McGorry, AUS; Room: Rode zaal)
• •	_	ents in the field of clinical staging
McGorry	AUS	The next stage for early intervention: Transdiagnostic, personalized, universal
Morgan	USA	Prevalence and sociodemographic correlates of emotional disorder in an inner-city cohort: the REACH study
Veling	NL	Predicting symptomatic and functional outcome after first episode psychosis in a naturalistic cohort of patients: implications for clinical staging
Booij	NL	Mirorr Mirorr on the wall, who's the most 'at risk' of all?
		Gillard, UK; Chair/Discussant: Castelein, NL; Room: Ronde zaal)
	_	wledge in mental health services research: ensuring that an understanding of the
•		t of people's lives is reflected in the research evidence base
Papoulias	UK	Patient and public involvement as 'expertise by experience' in mental health research: a case study
		Co-production, lived experience and large multidisciplinary teams: making it
Goldsmith	UK	meaningful in practice
Goldsmith Slofstra	UK NL	meaningful in practice Peer support workers perspective on clinical practice in Flexible Assertive Community Treatment in the Netherlands

Symposium 2.4.10	ranicar	Van Zolct, NI - Boom - Lokaal 16)
	_	Van Zelst, NL; Room: Lokaal 16) 1: assessment, disclosure of mental health problems, and intervention
Sportel	NL	Measuring stigma – Which instruments are available and how to choose?
Sporter	INL	Development of a short version of the Discrimination and Stigma Scale (DISC) across
Bakolis	UK	seven different world regions
		Are you crazy?! Showing adolescents a schizophrenia documentary reduces
Bruins	NL	stigmatizing attitudes
		To disclose or not to disclose a mental health problem in the workplace: views of five
Brouwers	NL	different stakeholder groups
		Disclosure of mental health problems in the workplace: towards a Dutch decision aid
Van Zelst	NL	and training
Symposium 2 5: (Or	ganiser:	Moreno-Küstner, E; Room: Lokaal 08)
	_	ender differences and reported disease-related symptoms in schizophrenia outpatients in
Spain	v.ccs, B	ender differences and reported disease related symptoms in someopine ind outputients in
Castillejos-		Variability in the incidence of psychosis worldwide: environmental factors. A systematic
Anguiano	E	review
		Schizophrenia-spectrum disorders:Are men and women actually different? Results
Petkari	E	from an epidemiological study in Malaga, Spain
		Needs, Perceived Support, and Hospital Readmissions in Patients with Severe Mental
Guzman-Parra	E	Illness
		Predictors of health service use among persons with schizophrenia and related
Bordallo Aragón	E	disorders
		Patient Reported Disease-related symptoms in outpatient schizophrenia patients in
Romero-Alberca	E	Spain
Symposium 2.6: (Or	ganiser:	Feenstra, NL; Chair/Discussant: Mierau, NL; Room: Lokaal 05)
	-	gain insight into disease burden and treatment choices. Case studies in depression and
psychosis		υ το
	l	The clinical effectiveness of a structured guideline-based treatment program for
Kan	NL	depression in specialized mental health care: A comparison with efficacy trials
Howdon	NL	Early-Life Socioeconomic Conditions and Depression in Older Adults
		Factors underlying short-term cost-effectiveness of Child and Adolescent Mental
Freriks	NL	Health Services
Symposium 2.7: (Or	ganiser:	Theunissen, NL; Room: Carré zaal)
The aftermath of ex	ctramura	lisation. The Amsterdam LTMH study and satellite-projects: a cohort-study among
patients with sever	e mental	illness. Functioning, care-use and delivery, occurrence of crisis, victimisation and
recovery		
Theunissen	NL	The Amsterdam LTMH- study: aim, design, method and global results
Kikkert	NL	Victimisation in adults with severe mental illness: prevalence and risk factors
D - M!!		The Amsterdam LTMH- study: Dying Too Soon: Excess Mortality in Severe Mental
De Mooij	NL	Illness
Do Wit	NII	Three profiles of pathways through care of SMI client with multiple public crisis
De Wit	NL	interventions
		The client-perspective on ambulatory mental health care: participation, recovery, and
Lauriks	UK	quality of life of people with a severe mental illness in an increasingly
		deinstitutionalized mental health care system
16.15-16.45: Coffee	break	
16.45-18.00: Oral p	resentati	ion sessions 3.1-3.7
Oral presentation s	ession 3.	1: Costs of care; Room: Blauwe zaal; Chair: Kilian (D)
Wolff	UK	Patient-specific determinants of hospital costs in mental health
Vilian		The Cost-effectiveness of an integrated mental health care programme in comparison
Kilian	D	to standard psychiatric care in Germany
		Use of the net benefit framework to evaluate the cost-effectiveness of Early
Behan	IRL	Intervention in Psychosis – does this complex intervention translate outside the
		specialist setting?
		,

Kovess-Mastefy	F	Economic modelisation of access to psychotherapy for common mental disorders in the French context
Wolff	UK	Hospital cost and reimbursement associated with psychiatric comorbidities in somatic
Oral procentation of	ession 2	care 2: Work & Education; Room: Rode zaal; Chair: Rothermund (D)
Oral presentation s	1	
Rothermund	D	Differences in working conditions for patients of psychotherapeutic consultation in the workplace vs. outpatient care –results from an observational study
	+	The effect of IPS-MA, an early supported employment intervention modified for people
Hellström	DK	with mood and anxiety disorders: results of a randomised clinical trial
		Challenges and Contribution of Participation in Supported Education Program in
Shor	IL	Universities for Persons With Severe Mental Illness
		The effectiveness of occupational therapy to improve participation in activities of
Inman	UK	everyday life for people with a diagnosis of psychosis: a feasibility study
Oral presentation s	ession 3	3: Primary care; Room: Ronde zaal; Chair: Ruud (N)
Coppens	В	The primary care psychologist: challenges and opportunities
Van Bebber	NL	
van Bebber	INL	Next generation in routine outcome measurement: Computerized adaptive testing The effectiveness and cost effectiveness of e-mental health interventions for
Massoudi	NL	
	-	depression and anxiety in primary care: a systematic review and meta-analysis
Spagnolo	CDN	Building Mental Health Capacity in Tunisia: Is a Training Program Offered to General
December		Practitioners Sufficient?
Ruud	N	Cluster randomized study of shared care by primary and mental health care
Oral presentation s	session 3.	4 Involvement of service users; Room: Lokaal 16; Chair: Moran (IL)
Argentzell	S	"As a link between patient and staff" – Pilot testing the use of peer supporters as a new
	.	work force within Swedish mental health care
Moran	IL	A Recovery-oriented peer provider (ROPP) work-role model and prototype measure
Friedlander	IL	Generativity attainment and its characteristics in Life-story narratives and self-report
		measures of mental health peer-providers
Pinfold,	UK	Peer research methods: Changing mental health research by integrating lived
	<u> </u>	experience expertise into research teams
De Cuyper	В	Service user involvement in the reform of adult mental health care in Belgium
Oral presentation s	session 3.	5: Family; Room: Lokaal 08; Chair: Havinga (NL)
Villani	F	Integrating close relatives of people experiencing schizophrenia spectrum disorders in
	-	the mental health system in France : the perception of the families
Stjernswärd	S	Effectiveness of a web-based mindfulness intervention for families of a person with a
	-	mental and/or somatic illness
Steenhuis	NL	The role of parenting and family functioning in the development of psychotic
		experiences in adolescence
		Drawing on the experiences of parents of conduct-disordered children to investigate
Stevens	UK	how intervention can help prevent future antisocial behaviour: a longitudinal mixed
	-	methods study from an ecological, developmental perspective
Havinga	NL	Offspring of depressed/anxious patients: how do they fare after onset of a
		depressive/anxiety disorder?
Oral presentation s	session 3.	6: Care networks; Room: Lokaal 05; Chair: Harvey (AUS)
Brophy	AUS	Sub-acute residential care models: Quality and effectiveness of a Prevention and
	1	Recovery Care (PARC) service in Victoria, Australia
Harvey	AUS	Sub-acute residential care models in Australia: Are they providing a recovery-oriented
•		alternative to hospital admission?
Nicaise	В	Quality of collaboration in service networks for Severe Mentally-III patients in Belgium
Oral presentation s	session 3.	7: Service use; Room: Carré zaal; Chair: Cardoso (P)
Poremski	SGP	Is a dedicated psychiatric emergency department the right service-delivery model for
. oreman	331	frequent emergency service users?
Ose	N	Unplanned Admissions to Inpatient Psychiatric Treatment and Services Received Prior to Admission
		Continuous increase in community treatment orders and compulsory admissions in the
Broer	NL	Netherlands 2003-2016
	•	·

Cardoso	Р	Predictors of day hospital and psychosocial interventions' use in psychiatric outpatients: results from the SMAILE Project
Raven	NL	Predicting secondary mental health care use in adolescence using self-, parent-, and teacher-reported problem behavior: A prospective community-based record-linkage study
18.30 – 20.00: Welcome cocktail at Groninger Museum + visit to museum exhibitions		

Friday, October 6

9.00-10.00: Paralle	l Symposi	ium sessions 4.1-4.7
	_	Henderson, UK; Room: Blauwe zaal) lation of the Time to Change Anti-stigma programme in England
Henderson	UK	Relationships between anti-stigma programme awareness, disclosure comfort and intended help-seeking regarding a mental health problem
Robinson	UK	Attitudes and behaviour towards mental illness in London compared to other English regions (2009-2017)
Sampogna	1	Time To Change: are social networks really useful in challenging stigma?
Deb	UK	Is campaign awareness associated with improved knowledge, attitudes, intended behaviour and observed positive treatment towards people with mental illness?
	_	Van der Meer, NL; Chair/Discussant: Van Weeghel, NL; Room: Rode zaal)
Recovery and rena	Dilitation	in service users in need of longer term intensive clinical treatment
Van der Meer	NL	Active Recovery Triad: a new initiative to provide hope and perspective for service users with severe mental illness in need of long-term clinical care
Zomer	NL	The ART monitor; research on its validity and implementation
Killaspy	UK	How to engage people with severe negative symptoms in activities; learning from the GetREAL trial
Mulder	NL	Flexible Assertive Community Treatment and ART
Symposium 4.3: (O	rganiser:	Briand, CDN; Room: Ronde zaal)
Supporting the pub	olic menta	al health system in improving practices that integrate recovery-oriented services: The
Canadian Experien	ce	
Briand	CDN	The implementation of recovery-oriented practices in community-based mental health teams in Quebec: A provincial initiative promoting the use of information and communication technologies (ICT)
Piat	CDN	Developing and sustaining a reflection and a recovery partnership in Quebec
Cilhart	CDN	The National Center of Excellence for Mental Health (NCEMH): A Provincial Mechanism
Gilbert	CDN	that supports the implementation of best practices in mental health system
Bedard	CDN	Transforming Mental Health Care System From Within: From Being A Patient To Becoming a Professional Staff Person In The Public System
Symposium 4.4: (O	rganiser:	Wunderink, NL; Chair/Discussant: McGorry, AUS; Room: Lokaal 16)
Less is more; antip upcoming, running	-	dose-reduction and discontinuation in first and multiple episode psychosis: an update on pleted trials
Wunderink	NL	Predicting Relapse and Outcome in First Episode Psychosis; Treatment Strategies and Negative Symptoms
Nordentoft	DK	Discontinuation versus maintenance therapy with antipsychotic medication in schizophrenia -Tailor: A randomized controlled trial
Killackey	AUS	Better functioning sooner in first episode psychosis? Introducing the Reduce RCT comparing dose reduction of anti-psychotic medication to maintenance treatment
Veling	NL	To continue or not to continue: the HAMLETT study – Handling Antipsychotic Medication: Long-term Evaluation of Tapered Treatment
Moncrieff	UK	The Bitterest Pills: antipsychotic-induced alterations, implications for the treatment of
• •	_	Jörg, NL; Room: Lokaal 09) heir effect on metabolic risks of patients with SMI: enhancing enduring results
Scheewe	NL	Physical (in)activity and energy intake in schizophrenia patients and matched healthy controls; results of the TOPFIT study
Deenik	NL	The effects of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients on physical activity and metabolic health (MULTI-study)
Speyer	DK	Improving lifestyle in people with severe mental illness: Are we running on the right path?

Looijmans	NL	Lessons learned from lifestyle intervention trials aiming to improve cardiometabolic
5		health in persons with a severe mental illness
		Amaddeo, I; Chair/Discussant: Katschnig, A; Room: Lokaal 05) n by Record Linkage of Large Administrative Data Sets: the EU CEPHOS_LINK Study
1 Sycinative te nospi	tansacion	Comparing and predicting psychiatric re-hospitalisation rates across countries by using
Straßmayr	Α	routine health care data: possibilities and limitations
Amaddeo	I	Which factors before discharge have to be considered to prevent re-hospitalisation?
Å -l		Mental health service users' experiences of hospitalisation and re-hospitalisation to
Ådnanes	N	hospital - a focus group study in six countries
Wahlbeck	F	Reducing psychiatric re-hospitalisation with the help of a Decision Support System
	-	Bastiaansen, NL; Chair/Discussant: Snippe, NL; Room: Carré zaal)
The use of Experien	ce Samp	ling as a clinical tool to personalize and contextualise mental health care
Bastiaansen	NL	Personalized feedback based on the experiencing sampling method as a tool to boost depression treatment (ZELF-i): common patterns and individual differences
Pak	NII	
Bak	NL	N=1 network analyses may be additive to clinical assessment and treatment
Steinhart	В	ACT in Daily Life – A Momentary Intervention Approach to Acceptance and
		Commitment Therapy
Bos	NL	ESM in clinical practice: the possibilities, the pitfalls, and the promise
10.00-10.45: Coffee		
· · · · · · · · · · · · · · · · · · ·		es Theme Assessment: Understanding the context
Chairs: Schoevers &	Van We	eghel; Discussant: Pinfold (UK) ; Room: Blauwe zaal
Wichers	NL	The dynamic nature of psychopathology and the relevance of micro-level context
Valmaggia	UK	The use of Virtual Reality in mental health
12.00-13.00: Oral p	resentati	ion sessions 5.1-5.7
Oral presentation se	ession 5.	1: Decision making; Room: Blauwe zaal; Chair: Puschner (D)
5 1		Testing the CEDAR model on the relation between clinical decision making and
Puschner	D	outcome
		Interactivity in Shared Decision Making in Swedish mental health services; A process
Schön	S	evaluation of a tool to support user participation
		Barriers to, and facilitators of, collaborative, recovery-focused, care planning and
Coffey	UK	coordination in UK mental health services: findings from COCAPP and COCAPPA
		Perceived assistance in pursuing personal goals and personal recovery among mental
Moran	IL	
0 1 11		health consumers across housing services
	•	2: Social context; Room: Rode zaal; Chair: Hansson (S)
Bousfield	UK	Experiences of social exclusion in service users with severe mental illness
Petkari	CY	Mov(i)es to Destigmatisation: An intervention with future mental health professionals in the United Arab Emirates
Hansson	S	The effectiveness of Narrative Enhancement and Cognitive Therapy. A randomized
		controlled study of a self-stigma intervention
Van Audenhove	В	Evaluation of the mental health reform in Belgium: a baseline assessment of the
		perspective of patients, family carers and professionals
Oral presentation se	ession 5.	3: Community care; Room: Ronde zaal; Chair: Lorant (B)
Lorant	В	Effectiveness of networks of health and social services on continuity of care and social
		integration: a case-control study for patients with severe mental illness
Hare Duke	UK	Sense of belonging and social connectedness, what are we measuring?
Knispel	NL	Monitoring deinstitutionalisation and community care in the Netherlands: system changes, outcome and future directions
·	1	indiffes, outcome and ratare an ections
McGeorge	AUS	My Choice: Pathways to Community Living in New South Wales, Australia

Oral presentation s	ession 5.	4: Disease burden; Room: Lokaal 16; Chair: Nosè (I)
·		Prevalence and correlates of psychological distress and psychiatric disorders in asylum
Nosè	I	seekers and refugees resettled in an Italian catchment area
Bejerholm	_	My Way Forward: An intervention for increased mental health, empowerment and
	S	participation among newly arrived refugees in Sweden
	_	Factors associated with suicidal risk in general population in Andalucia (Spain). The
Huertas Maestre	E	PISMA ep- Study
Nicaise	В	Quality of collaboration in service networks for Severe Mentally-III patients in Belgium
	<u> </u>	5: Implementation in care; Room: Lokaal 09; Chair: Salize (D)
•		Non-adherence to anti-psychotic medication guidelines in outpatient schizophrenia
Salize	D	care affects hospital readmission and costs
		A pairwise randomized study on implementation of guidelines and evidence based
Ruud	N	treatments of psychoses
Van Veldhuizen	NL	Lessons from dissemination of the Flexible ACT model in the Netherlands
van veidhuizen	INL	
Danama all		Facilitators and Barriers for Sustainable Implementation of Integrated Support in a
Bergmark	S	Sectored Community Mental Health Service System – Experiences from a Swedish
0 1		Project (AUS)
Oral presentation s	ession 5.	6: Engagement in care; Room: Lokaal 05 Chair: Fletcher (AUS)
White	UK	Development and validation of an objective measure of a service user's pattern of
		engagement with secondary mental health services
Lassemo	N	Decomposing psychiatric re-hospitalisation rates in Norway
Fletcher	AUS	Victorian consumer and staff experiences of the Safewards trial
Van Kranonhurg	NL	Long term compulsory treatment for difficult-to-engage and homeless dual diagnosis
Van Kranenburg	INL	patients
Oral presentation s	ession 5.	7: Recovery-focused interventions; Room: Carré zaal; Chair: Cameron (UK)
		A co-produced 'Building Resilience for Mental Health Recovery' Recovery College
Cameron	UK	course – research and evaluation findings
		Participation and Shared decision making in a recovery oriented educational
Bendtsen	S	intervention for mental health professionals
Van der Krieke	NL	Personal recovery of Dutch service users compared to siblings and healthy controls
13.00-14.15: Lunch		The contract of the contract o
		es Theme Approaches: Novel approaches using the patient's own context
		Discussant: Kovess-Masfety (F) ; Room: Blauwe zaal
Chairs. McDaid & C		
Salvador-Carulla	AUS	The Mental Health Atlas Project. Development and implications for consumer
Salvauor-Carulla	AUS	empowerment
\/a.a. 7.a.l.a.t	N	
Van Zelst	NL	Enhancing stigma resilience and recovery using the individual's context
	I	
45 00 46 00 D		
15.30-16.30: Paralle	el Sympo	sium sessions 6.1-6.7
		Castelein, NL; Room: Blauwe zaal)
Let's recover! Restr	ucturing	health care and the use of recovery-oriented interventions
Castelein	NL	Mapping recovery with large naturalistic cohorts and latent class growth analysis in
	'*-	people with psychotic disorders
Roebroek	NII	The evaluation of TREAT: a computerized clinical decision support system for the
WOEDI OEK	NL	treatment of psychotic disorders
	1.117	REFOCUS: A theoretically-defensible and empirically-evaluated team-level intervention
Slade	UK	to promote recovery
		Cognitive Adaptation Training: is it effective as a nursing intervention in people with
Van Dam	NL	severe mental illness in need of long-term intensive clinical treatment?
	<u> </u>	Home-based Peer Support and Skill Training for people with Psychotic disorders: a
Vogel	NL	Recovery oriented Intervention
	1	I NECOVELY UTIETILEU ITILET VETILIUTI

Symposium 6.2: (Or	ganiser:	Galeazzi, I; Room: Rode zaal)
Dilemmas of choice	in ment	al health care
Galeazzi	I	Choosing and requesting to change psychiatrist in community mental health services: results of a literature review
Henderson	UK	Informed, advance treatment refusals by people with severe mental illness: demand, content and correlates
Ruggeri	-	Italian psychiatric residential facilities: a recovery oriented choice or a step backward to institutionalization? The VALERE Project
Samele	UK	An employment pilot to support forensic mental health service users into work and vocational activities: choices and opportunities
Symposium 6.3: (Or	ganiser:	Deenik, NL; Room: Ronde zaal)
What we can we of life	fer long-	term inpatients with psychosis: do's and don'ts regarding the treatment and quality of
Deenik	NL	The effects of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients on patient-oriented outcomes (MULTI-study)
Deenik	NL	Evaluating the implementation of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients (MULTI-study)
Shakir	NL	Concurrent treatment with typical and atypical antipsychotics; double trouble
Van Oort	NL	Association between antipsychotics, movement disorders and accelerometer- measured physical activity in schizophrenia
Symposium 6.4: (Or	ganiser:	Van den Brink, NL; Chair/Discussant: Schene, NL; Room: Lokaal 16)
The social context of	f menta	l health in later life; implications for care
Van den Brink	NL	Epidemiological studies on the influence of social relationships on mood problems
Oude Voshaar	NL	Epidemiological studies on the influence of social relationships on cognitive decline
Von Faber	NL	Lessons learned from screening programs on depressive symptoms: interviews with older people on cause and need for care for low mood
Machielse	NL	Lessons learned from house calls to older inhabitants to address loneliness and social isolation: an action programme of the Rotterdam municipality
	_	Salinas-Perez, E; Room: Lokaal 09) analysis in decision support systems for evidence-informed policy
		The use of integrated atlases of care for assessing availability, diversity and capacity of
Salinas-Perez	E	regional mental health systems in Australia Standard comparison of local mental health care systems in three regions of Spain
Gutiérrez-Colosía	E	(Andalucia, Cataluña, Basque Country): REFINEMENT España project
Rodero Cosano	E	Spatial analysis of psychiatric epidemiological data in Andalusia
García-Alonso	E	Impact assessment of micromanagement interventions on mental health care systems: the case of Bizkaia (Basque country, Spain)
Almeda	Е	Bayesian networks in mental health care: preliminary findings
	_	Van Asselt, NL; Chair/Discussant: Mihalopoulos, AUS; Room: Lokaal 05)
Costs and economic	evaluat	ion in mental health care: how to make it work?
Bourke	IRL	Borderline Personality Disorder: What are the costs in Ireland?
Looijmans	NL	Cost-effectiveness of a 12-month multidimensional lifestyle intervention to improve cardiometabolic health in patients with a severe mental illness
Sanches	NL	Societal costs for individuals with severe mental illness
Symposium 6.7: (Or	ganiser:	Pijnenborg, NL; Chair/Discussant: Roe, IL; Room: Carré zaal)
	_	ting a social and neuropsychiatrical perspective?
Larabi	NL	Insight and emotion regulation in schizophrenia: an fMRI study
Pijnenborg	NL	Brain areas associated with insight in psychotic disorders: a meta-analysis
Van der Meer	NL	Changes in insight in psychosis and corresponding changes in functional connectivity during self-reflection: a 12-week follow-up study
Hasson-Ohayon	IL	Insight into the illness: correlations with outcomes among patients and their parents
Jørgensen	DK	Critical evaluation of the construct cognitive insight and how we measure it
16.30-17.00: Coffee		Street Standarion of the construct cognitive margin and now we measure it
10.30-17.00. CONEC	. DI Cak	

17.00-18.00: Parallel Symposium sessions 7.1-7.7					
Symposium 7.1 (Organiser: Killaspy, UK; Chair/Discussant: Van Weeghel, NL; Room: Blauwe zaal)					
•	•	nd Effectiveness of Supported Tenancies for People with Mental Health Problems. A			
		rarch across England			
Killaspy	UK	Overview of the QuEST programme and main results			
McPherson	UK	What works? A new taxonomy for the classification of mental health supported accommodation services			
McGranahan	UK	Results of a qualitative investigation of staff and service user experiences of a feasibility trial of supported accommodation in England			
Dowling	UK	Results of a study of staff morale in mental health supported accommodation in England			
Dalton-Locke &	UK	Predictors of quality of supported accommodation services in England			
Tierney					
	_	Veling, NL; Chair/Discussant: Valmaggia, UK; Room: Rode zaal)			
Virtual Reality treat	ments fo	or psychotic disorders - the beginning of a new era?			
Riches	UK	Using virtual reality to assess associations between social performance and paranoid ideation			
Pot-Kolder	NL	The effects of virtual reality based cognitive behavioral therapy in patients with persistent paranoid ideation and social avoidance			
Geraets	NL	Effect of Virtual Reality enhanced CBT on cognitive biases and paranoia: a randomized clinical trial			
Craig	UK	Computer assisted therapy for auditory hallucinations: the AVATAR clinical trial			
Nijman	NL	Virtual Reality Social Cognition Training for individuals with psychotic disorder: a pilot study			
Symposium 7 3 /Or	ganicar:	Alberts, NL; Room: Ronde zaal)			
	-	of victimization in persons with severe mental illness: findings from a national research			
programme in The					
De Vries	NL	Prevalence rate and risk factors of victimization in patients with a psychotic disorder: A systematic review and meta-analysis			
		Victimization and brain responses to emotional facial expressions in individuals with a			
Van der Stouwe	NL	psychotic disorder: results of the Beatvic study			
Albers	NL	Identifying subgroups among outpatients with severe mental illness based on social factors of victims and perpetrators			
Klein Tuente	NL	Development of Virtual Reality aggression prevention training (VRAPT) for forensic psychiatric inpatients			
Ruijne	NL	A cluster randomized controlled 12-month trial comparing detection of domestic violence (DV) in psychiatric patients of community mental health (CMH) teams trained in DV versus untrained teams: The BRAVE-R study			
		Meesters, NL; Chair/Discussant: Oude Voshaar, NL; Room: Lokaal 16)			
Severe mental illne area	ss in late	r life: recent research relevant for mental health care in a scientifically much neglected			
Chang	UK	Risk of Physical Healthcare Admissions for People with Severe Mental Illness at Older Age			
Lange	NL	Course and predictors of symptomatic remission in late-life schizophrenia: a 5-year follow-up study in a Dutch psychiatric catchment area			
Smeets-Janssen	NL	Unravelling the pathogenesis of schizophrenia: the importance of age at onset			
Meesters	NL	Promoting resilience in older persons with schizophrenia: the case of The New Club, a novel facility offering social contact and activities			
Symposium 7.5 (Organiser: Korevaar, NL; Room: Lokaal 09)					
Supported Education: community participation for people with psychiatric disabilities					
Korevaar	NL	What hinders and what helps?			
		A working life on the horizon - Supported education for young adults with mental			
Rosenberg	S	health problems in Sweden			

		Use of the tool 'To tell or not to tell?' to help students decide whether or not to			
Hofstra	NL	disclose their psychiatric disability in an educational setting: a European feasibility			
		study			
Hiddink	NL	Evaluation of a Supported Education career guidance course for (young) adults with			
Hiddilik	INL	psychiatric disabilities			
Symposium 7.6 (Organ	niser: N	Noreno-Küstner, E; Room: Lokaal 05)			
Attitude towards peop	ole with	n mental disorders in university students of health sciences From Portugal, Spain and			
Chile. A Maristán netw	vork st	udy			
Petkari	Е	Attitudinal change towards mental illness in students through clerkship: a meta-			
retraii	L	analysis			
		Attitudes toward people with mental illness in university students of medicine, nursing,			
Moreno-Küstner	E	occupational therapy and psychology students' degrees. An international comparison			
		between Chile and Spain			
Saldivia f	RCH	Stigma towards people with mental disorders in students of health-related degrees			
Jaiuivia	IXCII	from Chile and Spain			
Xavier	Р	Impact of clerkship in the attitudes towards people with mental illness: a comparison			
Advici	Г	between medical students from Portugal, Spain and Chile			
Symposium 7.7 (Organ	niser: K	eetharuth, UK; Room: Carré zaal)			
Assessing recovery in r	mental	health populations: a need for instruments that measure what matters most to service			
users					
Brazier	UK	The ReQoL measures: combining qualitative and quantitative evidence to produce a			
Didziei	OK	psychometrically robust measure			
Connell	UK	Quality of life, are we asking the right questions: mental health service user views on			
Connen	OK	potential items for the recovering quality of life measure (ReQoL)			
Grundy	UK	A critical assessment of patient/service user involvement in constructing the ReQoL			
Barbic (CDN	Understanding how to measure recovery in a clinically meaningful way: An example			
Daibit	CDIN	from the Canada Personal Recovery Outcome Measure (PROM) Project			
19 30 - 22 00: Confere	19.30 – 22.00: Conference Dinner at Der Aa-kerk				

Saturday, October 7

9.00-10.00: Oral presentation sessions 8.1-8.7				
Oral presentation s	session 8.	1: Recovery-focused practice; Room: Blauwe zaal; Chair: Rudd (UK)		
Van Erp	NL	Development of a quality standard for recovery-oriented care		
Rudd	UK	Working with HOPE: Implementing a recovery framework within a Scottish community mental health charity		
Dalsgaard	DK	Facilitating recovery in a lifeworld context		
Oral presentation s	session 8.	2: Therapeutic relationship; Room: Rode zaal: Chair: Ådnanes (N)		
Goldsmith	UK	Psychological Treatments for Early Psychosis can be Beneficial or Harmful, Depending		
Goldsmith		on the Therapeutic Alliance: an Instrumental Variables Analysis		
Ådnanes		Is patient-rated quality of life associated with continuity of care, therapeutic relation		
Aunanes	N	and unmet service needs? A study of outpatient mental health service users in Norway		
Bourmorck	В	Has personal continuity of care an effect on service use?		
Fletcher	AUS	Victorian Safewards Trial: Evaluation of Training Outcomes		
Oral presentation s	session 8.	3: Care content & Vocational rehabilitation: Room: Ronde zaal; Chair: Birken (UK)		
Van Haut	NII	Telecare: mapping, articulating and understanding practices. How technology changes		
Van Hout	NL	the (professional) context		
		Going where no other researchers go: Collecting information from primary and		
McCabe	UK	secondary care notes of people with severe mental illness in England: A multi-site		
		cross-sectional observational study		
Rüsch	D	Predictors of re-employment and mental health service use among unemployed people		
Ruscii	U	with mental health problems: a longitudinal study		
Birken	UK	Supporting community engaged post discharge from hospital to reduce readmission		
ыкеп	UK	and crisis services use: a feasibility study of an innovative intervention		
Oral presentation s	session 8.	4: Young clients; Room: Lokaal 16; Chair: Loos (D)		
Davies	NII	Mental health care use during the transition from adolescence to early adulthood.		
Raven	NL	Results from a prospective community-based cohort study		
Ditte		Headspace Israel: An integrative clinical model providing psychological services		
Bitton	IL	focusing on prevention and early intervention and preliminary findings		
	_	Lost in Transition? Perspectives from young people with mental health problems and		
Loos	D	staff during the process of transfer of care		
Freriks	NL	Psychiatric Modeling Framework for ADHD based on Global Functioning		
Oral presentation s	session 8.	5: Social outcomes & Lifestyle; Room: Lokaal 10; Chair: Lexén (S)		
1		Social outcomes of Flexible ACT for clients with schizophrenia and other psychoses: A		
Lexén	S	longitudinal study		
Harrison	UK	Assessing and Measuring Social Inclusion in Mental Health Settings		
Flelund	C	Balancing Everyday Life (BEL) for people with severe mental illness – effective for		
Eklund	S	activity engagement and level of functioning in an RCT study		
NA:la - a	LIV	Addressing the religiosity gap: Spirituality as a key dimension of mental health and		
Milner	UK	recovery		
Oral presentation s	session 8.	6: Forensic issues; Room: Lokaal 09; Chair: Hilterman (NL)		
Bulla	D	Are migrants from disadvantaged countries at a higher risk than others for involuntary treatment in a secure mental hospital?		
Hilterman	NL	Introduction to and use of the DIARI: Decision-making In Abusive Relationships Interview		
Roeg	NL	Interviews with clinicians on their perception of need factors of Intimate Partner Violence victims		
Oral presentation s	session 8.	7: Activation; Room: Lokaal 04; Chair: Liemburg (NL)		
Arjadi	NL	Toward bridging the mental health gap in low-middle income countries: short-term effectiveness of internet-based behavioral activation for depression in Indonesia		
Williams	UK	'Walk this Way' A pilot RCT of an intervention to support people to be more physically active		

Liemburg	NL	Relationship between subdomains of negative symptoms and neurocognitive and social cognitive deficits and community functioning		
Bryl	USA	The role of dance/movement therapy in the treatment of negative syndrome and psychosocial functioning of patients with schizophrenia – preliminary results from a pilot study		
10.00-11.15: Keyno	te lectur	es Theme Policy: Societal challenges for community mental health		
Chairs: Moreno-Küs	stner & Lo	esage; Discussant: Moran (IL) ; Room: Blauwe zaal		
Delespaul	NL	Mental Health as a Public Health Challenge: we need resilient, supportive communities to improve personal mental resilience		
McKenzie	CDN	Policy initiatives to support mental health and recovery in the community		
11.15-11.45: Coffee break				
11.45-12.30: Closing Keynote lecture				
Chairs: Puschner & Cechnicki; Room: Blauwe zaal				
Ruggeri	I	Integrating generic and specialised community teams to promote a whole life approach		
12.30-13.00: Closing session (Poster award ceremony)				
Chairs: Puschner & Cechnicki; Room: Blauwe zaal				
Lunch boxes available				