

Preliminary* programme ENMESH 2017

Pre-conference workshop 1: Personalized treatment in mental health care
Tuesday, October 3, 15.30-18.30 and Wednesday October 4, 10.00-16.30
Pre-conference workshop 2: Everything you always wanted to know about Experience Sampling
Wednesday October 4, 14.00-17.30
Guided tour Groningen
Wednesday, October 4, 18.00-19.00

Thursday, October 5

8.00-9.00		
Registration		
9.00-9.45		
Opening session (Welcome addresses, Presidential addresses)		
9.45-10.30		
Opening Keynote lecture		
Killaspy	UK	Complex individuals in a complex society; how complex needs services should be the quality benchmark for mental health care
10.30-11.15		
Coffee break		
11.15-12.15: Parallel Symposium sessions 1.1-1.7		
Symposium 1.1: (Organiser: Roosenschoon, NL)		
Evaluation of multiple methodologies for Recovery Supportive Care for people with severe mental illness		
Roosenschoon	NL	Evaluation of multiple methodologies for Recovery Supportive Care for people with severe mental illness
Beentjes	NL	The evaluation of an e-supported Illness Management and Recovery program for patients with Severe Mental Illnesses
Bitter	NL	Effectiveness of the Comprehensive Approach to Rehabilitation (CARE) Methodology: A Cluster Randomized Trial
Roeg	NL	Recovery and daily life: A review on controlled studies on psychosocial interventions in sheltered facilities for people with severe mental illness
Symposium 1.2: (Organiser: Gillard, UK)		
Establishing the effectiveness of peer support in mental health services		
Gillard	UK	Peer support for discharge from inpatient to community mental health care: trial fidelity and the principles of peer support
Lloyd-Evans	UK	Randomised controlled trial of a peer-provided, self-management intervention for people following mental health crisis
White	UK	An alternative approach to evaluate the effectiveness of a community based programme of peer support

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Mahlke	D	One-to-one peer support for individuals with SMI
Symposium 1.3: (Organiser: Swilders, NL) Somatic health of patients with severe mental illness		
Cahn	NL	Predicting Metabolic Syndrome with Machine learning in psychosis
Swilders	NL	Somatic care utilization and needs for somatic health care of patients with Severe Mental Illness
Bruins	NL	It's not always sunny in Groningen. Vitamine D, metabolic risk and negative symptoms in people with psychotic disorders
Van Meijel	NL	Implementation of somatic screening and lifestyle interventions in patients with SMI
Symposium 1.4: (Organiser: Veling, NL) Virtual Reality treatments for psychotic disorders - the beginning of a new era?		
Riches	UK	Using virtual reality to assess associations between social performance and paranoid ideation
Pot-Kolder	NL	The effects of virtual reality based cognitive behavioral therapy in patients with persistent paranoid ideation and social avoidance
Geraets	NL	Effect of Virtual Reality enhanced CBT on cognitive biases and paranoia: a randomized clinical trial
Craig	UK	Computer assisted therapy for auditory hallucinations: the AVATAR clinical trial
Nijman	NL	Virtual Reality Social Cognition Training for individuals with psychotic disorder: a pilot study
Symposium 1.5: (Organiser: Ruggeri, I) Environment, vulnerability and usefulness of individualized approaches in first episode psychosis: Data from "real world" settings		
Comacchio	I	Clinical and social trajectories of first episode psychosis patients over 5 years: the role of gender differences
Ritunnano	UK	From childhood adversity to first-episode psychosis: the effects of abuse and neglect on symptom profile. Data from the GET UP PIANO Trial
Tomassi	I	The influence of childhood trauma on diagnosis and substance use in first episode psychosis. Data from the GET UP PIANO Trial
Onwumere	UK	Can we identify pre-treatment characteristics that predict or moderate treatment outcomes for carers following multi element psychosocial intervention in early psychosis? Findings from the GET UP Piano trial
Symposium 1.6: (Organiser: Lesage, CDN) Influencing mental health policies- the story of a forthcoming Canadian federal mental health transition fund and potential targets of home care or greater access to psychotherapy		
Vasiliadis	CDN	Influencing mental health policies- the story of access to psychotherapy for common mental disorders in Canada and France, inspired by the UK and Australia models
Lesage	CDN	Economic modelisation of access for depression in the Canadian context
Kovess	CDN	Experimentation of a management by non-drug therapies in some French regions in the primary care context
Lesage	CDN	The role of Health technology agencies in supporting mental health policies towards publicly funded psychotherapies
Musgrave	CDN	Overshadowing the needs of severely mentally ill for evidenced-base home care programs
Symposium 1.7: (Organiser: Van den Ende, NL) Family focused support programs		
Van den Ende	NL	Family focused support programs
Van der Meer-Jansma	NL	Explanations for intergenerational transference of addiction: Perspective of the person with parent(s) who suffers from addiction
Van der Werf	NL	Who Cares? Recognition, acknowledgment and needs of students living with a chronically ill family member
Broekema	NL	Families' and Nurses' Experiences with Family Nursing Conversations in Home Health Care
12.15-13.15		
Lunch		

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

13.15-14.00: Guided Poster sessions Themes 1-5

Guided poster session Theme 1

Assessment: Understanding the context

Sepehri	IR	Reliability and Validity of Farsi Version of Standardized Assessment of Personality - Abbreviated Scale (SAPAS)
Oudejans	NL	Concurrent validity of the MATE-Q: a self-report assessment instrument developed in substance abuse treatment
De Vetten	NL	The Need and Nature of the Mental Health Services Reform in Moldova: A Situation Analysis
Cameron	UK	The cross cultural adaptability of the Resilience Framework: Q-methodology investigation
Almeda	E	Assessment of the relative technical efficiency of Mental Health Services: A systematic review
Bladzinski	PL	The subjective experience of the situation of admission to a psychiatric ward from the perspective of patients
Metel	PL	Interactions between trauma, attachment and empathy among patients diagnosed with schizophrenia
Daren	PL	Cognitive functioning in employed and unemployed people with schizophrenia
Rapisarda	I	Depicting professional cultures of mental health workers: development and validation of the Bicocca Mental Health Professional Culture Inventory
Amani	IR	Comparing the Big-Five Personality Traits of Iranian Women in the Midst of Divorce and Women in the Normal State of Marriage, as Predictors of Divorce
Robles	E	A pilot study: Developing an assessment strategy for integrated care interventions in Mental Health in Catalonia
Litvan	A	Symptom severity and quality of life in the course of a cognitive behavioural therapy treatment
Molera Gui	B	Predictors of severe mentally ill patients' maintenance in follow-up
Connell	UK	The World Health Organization's concept of participation: A proposal for assessing mental health and evaluating outcomes in real world settings
Kaasbøll	N	Evaluation of a Norwegian pilot project: 'Screening of child and adolescent mental health at the intake in residential youth care – and coordination of services'
Oudejans	NL	The workforce's patient experience: how and why it should be mined
Cameron	UK	Risk and protective factors for School Staff in relation to resilience building interventions

Guided poster session Theme 2

Epidemiology: Methodological approaches supporting personalised care

Grim	S	Development- and testing of a web-based decision support for users and health professionals in psychiatric services
Caron	CDN	Psychosocial And Environmental Predictors Of Well-being For Residents Of An Epidemiologic Catchment Area In Montreal, Canada
Gandré	F	Variations in psychiatric care and associations with indicators of service provision: the illustrative case of full-time hospitalization and involuntary full-time admission rates in France
Piening	NL	The effect of Eye Movement Desensitization and Reprocessing (EMDR) in adult patients with an autism spectrum disorder and comorbid post traumatic stress disorder
Hazo	F	Correlates of mental healthcare use: a research of social inequalities of mental healthcare use on a French representative transversal survey
Thoft Carlsen	DK	OmSorg (Dealing with Bereavement) Social consequences of childhood cancer late effects A Qualitative study of childhood cancer survivors' unique knowledge about late effects
Koene	NL	Assessment and recovery of self-regulation and executive functions in patients with bipolar disorder I
Janarv	S	DEAL - Shared Decision Making in planning of discharge from in-patient psychiatric care

Lesage	CDN	Individual, programmatic and systemic services indicators of quality of mental health care and suicide mortality in Quebec
Miglietta	I	Pathways to care and patterns of care in first episode psychosis patients treated in community based-mental health services. A 5-year follow-up from the PICOS
Kaspersen	N	Employees' Drug Purchases Before and After Organisational Downsizing A quasi-natural experiment on the Norwegian working population (2004 - 2012)
Verhagen	NL	Constructing a reward-related Quality of Life function in daily life - a proof of concept study
Farhang	IR	Azerbaijan Acute phase/Recent onset Psychosis Survey (ARAS cohort): First episode psychosis in the context of Iranian culture
Cardoso	P	The effect of the economic crisis on the use of services for mental health problems: first results of a national mental health survey follow-up
Hastrup	DK	Help-seeking behavior among persons with first-episode psychosis after implementation of an early detection team (The TOP study) Nationwide register-based study in Denmark
Verhagen	NL	Demonstrating the applicability of an mHealth Routine Outcome Measurement tool for Mental Health using the Experience Sampling Method
Guided poster session Theme 3		
Approaches: Novel approaches using the patient's own context		
Waldmann	D	Reducing barriers to help-seeking among unemployed individuals with mental health problems: a pilot RCT
Brunt	S	Is being satisfied with what you have the same as what you want? - a comparison of satisfaction with housing services with preferences among residents in housing facilities
Deenik	NL	The effects of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients on patient-oriented outcomes (MULTI-study)
Juliussen	DK	Reduction of the extent of threats, violence and use of force in residential facilities
Cichocki	PL	The use of masks in the treatment of patients with chronic auditory hallucinations
Tjornstrand	S	Active in My Home (AiMH) – a pilot and feasibility study of a lifestyle intervention in supported housing for people with psychiatric disabilities
San Pio	E	Evaluating an empowerment approach for people with mental health problems and their families towards its inclusion in public policies: Activa't per la Salut Mental (Get active for mental health)
Pinfold	UK	Building a theory of change for an intervention to address loneliness among people with complex depression and anxiety
Toney	UK	Qualitative and psychometric evaluation of a new Recovery College fidelity measure
Argentzell	S	From isolation to a feeling of belonging: The meaning of group participation in the Balancing Everyday Life (BEL) intervention for mental health service users
Edan	AUS	The PULSAR Project: What is the cross-cultural relevance of a mental health recovery questionnaire?"
Hoff	DK	Does specialized psychiatric assessment improve return to work rates among absentees with common mental disorders?
Bordallo Aragón	E	Factors associated with the attitudes of general practitioners towards patients with mental illness, mental health and their relationship with mental health services
Inman	UK	Enabling a personalized approach to therapy: The development of an occupational therapy intervention specification for people with a diagnosis of psychosis
Verhaegh	NL	No reductionism: Psychiatry is about the whole person in her whole context with her whole history and that in a dialectical way
Deenik	NL	Evaluating the implementation of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients (MULTI-study)
Guided poster session Theme 4		
Policy: Societal challenges for community mental health		
Poremski	SGP	Are we meeting the continuity of care needs of mental health service users? A retrospective evaluation of the Integrated Patient Assessment and Continuous Engagement system

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Smith	B	Influence of the patient socioeconomic status and subjective social status on the exposure to specialised and personal care continuity approach in Belgium
Fjellfeldt	S	Contradicting Logics and Idealistic Professionalism - A Case Study of the Development of a Swedish Community Mental Health Service Market
Markström	S	From deinstitutionalisation to public mental health; Regional action plans as a tool for promoting a new national policy in Sweden
Galeazzi	I	Clinical and socio-demographic variables associated with the outcome of a vocational rehabilitation programme in an Italian Community Mental Health Center
Kovess-masfety	F	Access to care and spatial distribution of patients suffering from schizophrenia and bipolarity in 2015 in the French department of Ille et Vilaine
Nacci	I	Mental health and multifactorial in schizophrenia: a study on young psychotic guests to rehabilitation facilities
Cristofalo	I	Trends, socio-demographic and clinical characteristics of migrants seeking psychiatric care in Verona, Italy
Brimblecombe	UK	Can the mental health of young people who provide unpaid care be improved by providing social care services to the person they support?
Nascimento	BR	Chronic abusive alcohol-related diseases mortality, community mental health coverage and social vulnerability in São Paulo, Brazil, 2013
Fisker	DK	Integrated mental health care and vocational rehabilitation to improve return to work rates for people on sick leave because of common mental disorders (IBBIS)
Weyermann	D	Non-utilization of medical rehabilitation before the occurrence of early retirement due to psychological and behavioural disorders in Germany – prevalence and sociodemographic determinants
Park	UK	Cost-effectiveness of Healthy Activity Program(HAP), a lay counsellor-delivered brief psychological treatment for severe depression, in primary care in India alongside a randomised controlled trial
Galeazzi	I	Mental disorders and risk for committing and enduring Intimate Partner Violence: a review of the literature
Nascimento	BR	Suicide, community mental health services and social vulnerability in São Paulo, Brazil – Are there some relations?
Galeazzi	I	A qualitative approach to planning a psychoeducational intervention for people included in vocational rehabilitation programmes in an Italian Community Mental Health Centre
Guided poster session Theme 5		
Other		
Frattura	I	TExieF: a thesaurus of expanded ICF Environmental Factor terms
Giovanni	I	Who are the patients receiving long-acting medications in ordinary practice? Results from the cross-sectional phase of an observational, longitudinal, multicenter study conducted in Italy
Wyngaerden	B	Continuity of care: do the patient and the professional see eye to eye?
Neyens	B	How to prevent long-term absence from work? Developing a tool for general practitioners
Janssen	NL	Videoconferencing in mental health care: the visual novel as a means to stimulate awareness of a new care practice
Cope	UK	Implementation of Safewards as evidence-based intervention to reduce conflict and containment in a secure psychiatric hospital across 5 pathways: men's and women's mental health, learning disability, adolescents and neuropsychiatry
Saldivia	RCH	Common mental disorders in primary care in Chile. Prevalence and cluster analysis
Smrckova	CZ	Cost-Effectiveness of Early Detection and Treatment for Alzheimer's Disease in Czechia
Serrano-Blanco	E	Inpatient costs of agitation and containment strategies in an urban area
Vasiliadis	CDN	Factors associated with hospital admission and readmission in older adults with psychiatric and physical comorbidity
Bais	NL	The Apathy Study: exploring the possibilities to treat apathy with non-invasive brain stimulation and behavioral activation therapy in patients with schizophrenia

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Carroll	UK	Anecdotal tales from prison to community: The ins and outs of conducting a 'through-the-gate' Randomised Controlled Trial (Engager) with offenders with common mental health problems
Konings	NL	The Cost of Schizophrenia in the Northern Netherlands
Frattura	I	How to conceptualize and describe Individual Intervention Plans using the International Classification of Functioning Disability and Health: a test on a cohort of psychiatric outpatients
Saldivia	RCH	Design, implementation and evaluation of a psychosocial intervention to prevent anxiety and depression in older adults who seek attention in primary care centers in Chile. Protocol
Frattura	I	Individual mix of resources impacting individual outcomes and their infographic comparisons: preliminar results in three cohorts of outpatients assessed using the VilmaFABER system
Joseph	CDN	Immigration detention in Canada: a colonial technology of racial and eugenic violence in the mental health system
14.00-15.15		
Keynote lectures Theme Epidemiology: Methodological approaches supporting personalised care		
Roe	IL	
Mihalopoulos	AUS	
15.15-16.15: Parallel Symposium sessions 2.1-2.7		
Symposium 2.1: (Organiser: Theunissen, NL) The aftermath of extramuralisation. The Amsterdam LTMH study and satellite-projects: a cohort-study among patients with severe mental illness. Functioning, care-use and delivery, occurrence of crisis, victimisation and recovery		
Theunissen	NL	The Amsterdam LTMH- study: aim, design, method and global results
Kikkert	NL	Victimisation in adults with severe mental illness: prevalence and risk factors
De Mooij	NL	The Amsterdam LTMH- study: Dying Too Soon: Excess Mortality in Severe Mental Illness
De Wit	NL	Three profiles of pathways through care of SMI client with multiple public crisis interventions
Lauriks	NL	The client-perspective on ambulatory mental health care: participation, recovery, and quality of life of people with a severe mental illness in an increasingly deinstitutionalized mental health care system
Symposium 2.2: (Organiser: Gillard, UK) The role of experiential knowledge in mental health services research: ensuring that an understanding of the individual and social context of people's lives is reflected in the research evidence base		
Papoulias	UK	Patient and public involvement as 'expertise by experience' in mental health research: a case study
Mahlke	D	EmPeeRie - individuals with severe mental health crisis use their knowledge of experience, to conduct their own research
Goldsmith	UK	Co-production, lived experience and large multidisciplinary teams: making it meaningful in practice
Cambier	NL	Peer support workers perspective on clinical practice in Flexible Assertive Community Treatment in the Netherlands
Symposium 2.3: (Organiser: Lloyd-Evans, UK) Community alternatives to acute psychiatric hospital admission: Implementation and quality improvement		
Lamb	UK	Mental Health Acute Day Units in England: results from a national survey and the ADCARE Study

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Lloyd-Evans	UK	National implementation of Crisis Resolution Teams: findings from an English national survey
Johnson	UK	The CORE cluster-randomised trial of a service improvement programme for Crisis Resolution Teams
Morant	UK	Delivering a service improvement programme: Insights and lessons learned from a qualitative study of a programme to improve crisis resolution team functioning in England
Ruud	N	Observational study of practice, service users and outcome of Norwegian crisis resolution teams
Symposium 2.4: (Organiser: Wigman, NL) Think again: New developments in the field of clinical staging		
McGorry	AUS	The next stage for early intervention: Transdiagnostic, personalized, universal
Morgan	UK	Prevalence and sociodemographic correlates of emotional disorder in an inner-city cohort: the REACH study
Veling	NL	Predicting symptomatic and functional outcome after first episode psychosis in a naturalistic cohort of patients: implications for clinical staging
Wigman	NL	Mirror Mirror on the wall, who's the most 'at risk' of all?
Symposium 2.5: (Organiser: Moreno-Küstner, E) Incidence, use of services, gender differences and reported disease-related symptoms in schizophrenia outpatients in Spain		
Castillejos-Anguiano	E	Variability in the incidence of psychosis worldwide: environmental factors. A systematic review
Petkari	E	Schizophrenia-spectrum disorders: Are men and women actually different? Results from an epidemiological study in Malaga, Spain
Bordallo Aragón	E	Predictors of health service use among persons with schizophrenia and related disorders
Guzman-Parra	E	Needs, Perceived Support, and Hospital Readmissions in Patients with Severe Mental Illness
Romero-Alberca	E	Patient Reported Disease-related symptoms in outpatient schizophrenia patients in Spain
Symposium 2.6: (Organiser: Van Weeghel, NL) Individual Placement and Support for people with severe mental health problems seeking regular employment or education; research findings on novel approaches in four European countries		
Bejerholm	S	Moving on to work and feeling better-A randomized controlled trial of supported employment adapted for people with affective disorders
Christensen	DK	Individual Placement and Support, cognitive training and work related social skills training in Denmark: a randomized controlled trial
Sveinsdottir	N	A Randomized Controlled Multicenter Trial of Individual Placement and Support (IPS) for Patients with Moderate to Severe Mental Illness in Norway
Hegelstad	N	JobPrescription: A supported employment approach allowing for internships as part of job search for persons with first episode psychosis
Symposium 2.7: (Organiser: Van Zelst, NL) Stigma and destigmatization: assessment, disclosure of mental health problems, and intervention		
Brouwers	NL	To disclose or not to disclose a mental health problem in the workplace: views of five different stakeholder groups
Sportel	NL	Measuring stigma – Which instruments are available and how to choose?
Bruins	NL	Are you crazy?! Showing adolescents a schizophrenia documentary reduces stigmatizing attitudes
Ioannis	UK	Development of a short version of the Discrimination and Stigma Scale (DISC) across seven different world regions
Van Zelst	NL	Disclosure of mental health problems in the workplace: towards a Dutch decision aid and training
16.15-16.45		
Coffee break		

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

16.45-18.00: Oral presentation sessions 3.1-3.7		
Oral presentation session 3.1: Service use		
Poremki	SGP	Is a dedicated psychiatric emergency department the right service-delivery model for frequent emergency service users?
Ose	N	Unplanned Admissions to Inpatient Psychiatric Treatment and Services Received Prior to Admission
Broer	NL	Continuous increase in community treatment orders and compulsory admissions in the Netherlands 2003-2016
Cardoso	P	Predictors of day hospital and psychosocial interventions' use in psychiatric outpatients: results from the SMAILE Project
Raven	NL	Predicting secondary mental health care use in adolescence using self-, parent-, and teacher-reported problem behavior: A prospective community-based record-linkage study
Oral presentation session 3.2: Work & Education		
Rothermund	D	Differences in working conditions for patients of psychotherapeutic consultation in the workplace vs. outpatient care –results from an observational study
Hellström	DK	The effect of IPS-MA, an early supported employment intervention modified for people with mood and anxiety disorders: results of a randomised clinical trial
Michon	NL	Individual Placement & Support for welfare recipients with serious mental illnesses: lessons learned from a pilot in the city of The Hague
Shor	IL	Challenges and Contribution of Participation in Supported Education Program in Universities for Persons With Severe Mental Illness
Inman	UK	The effectiveness of occupational therapy to improve participation in activities of everyday life for people with a diagnosis of psychosis: a feasibility study
Oral presentation session 3.3: Family		
Villani	F	Integrating close relatives of people experiencing schizophrenia spectrum disorders in the mental health system in France : the perception of the families
Stjernswärd	S	Effectiveness of a web-based mindfulness intervention for families of a person with a mental and/or somatic illness
Steenhuis	NL	The role of parenting and family functioning in the development of psychotic experiences in adolescence
Stevens	UK	Drawing on the experiences of parents of conduct-disordered children to investigate how intervention can help prevent future antisocial behaviour: a longitudinal mixed methods study from an ecological, developmental perspective
Havinga	NL	Offspring of depressed/anxious patients: how do they fare after onset of a depressive/anxiety disorder?
Oral presentation session 3.4 Involvement of service users		
Argentzell	S	“As a link between patient and staff” – Pilot testing the use of peer supporters as a new work force within Swedish mental health care
Moran	IL	A Recovery-oriented peer provider (ROPP) work-role model and prototype measure
Friedlander	IL	Generativity attainment and its characteristics in Life-story narratives and self-report measures of mental health peer-providers
Pinfold,	UK	Peer research methods: Changing mental health research by integrating lived experience expertise into research teams
De Cuyper	B	Service user involvement in the reform of adult mental health care in Belgium
Oral presentation session 3.5: Costs of care		
Wolff	UK	Patient-specific determinants of hospital costs in mental health
Kilian	D	The Cost-effectiveness of an integrated mental health care programme in comparison to standard psychiatric care in Germany
Behan	IRL	Use of the net benefit framework to evaluate the cost-effectiveness of Early Intervention in Psychosis – does this complex intervention translate outside the specialist setting?
Kovess	F	Influencing mental health policies- the story of access to psychotherapy for common mental disorders in Canada and France, inspired by the UK and Australia models

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Wolff	UK	Hospital cost and reimbursement associated with psychiatric comorbidities in somatic care
Oral presentation session 3.6: Primary care		
Coppens	B	The primary care psychologist: challenges and opportunities
Van Bebber	NL	Next generation in routine outcome measurement: Computerized adaptive testing
Massoudi	NL	The effectiveness and cost effectiveness of e-mental health interventions for depression and anxiety in primary care: a systematic review and meta-analysis
Spagnolo	CDN	Building Mental Health Capacity in Tunisia: Is a Training Program Offered to General Practitioners Sufficient?
Ruud	N	Cluster randomized study of shared care by primary and mental health care
Oral presentation session 3.7: Care networks		
Brophy	AUS	Sub-acute residential care models: Quality and effectiveness of a Prevention and Recovery Care (PARC) service in Victoria, Australia
Fletcher	AUS	Sub-acute residential care models in Australia: Are they providing a recovery-oriented alternative to hospital admission?
Nicaise	B	Quality of collaboration in service networks for Severe Mentally-Ill patients in Belgium
Smith	AUS	Does training change workplace practice? A survey of clinicians and middle- managers one year on from training in trauma-informed care
18.30 – 20.00		
Welcome cocktail at Groninger Museum + visit to museum exhibitions		

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Friday, October 6

9.00-10.00: Parallel Symposium sessions 4.1-4.7		
Symposium 4.1: (Organiser: Briand, CDN) Supporting the public mental health system in improving practices that integrate recovery-oriented services: The Canadian Experience		
Briand	CDN	The implementation of recovery-oriented practices in community-based mental health teams in Quebec: A provincial initiative promoting the use of information and communication technologies (ICT)
Piat	CDN	Developing and sustaining a reflection and a recovery partnership in Quebec
Gilbert	CDN	The National Center of Excellence for Mental Health (NCEMH): A Provincial Mechanism that supports the implementation of best practices in mental health system
Bedard	CDN	Transforming Mental Health Care System From Within: From Being A Patient To Becoming a Professional Staff Person In The Public System
Symposium 4.2: (Organiser: Henderson, UK) New findings from the evaluation of the Time to Change Ant-stigma programme in England		
Henderson	UK	Relationships between anti-stigma programme awareness, disclosure comfort and intended help-seeking regarding a mental health problem
Robinson	UK	Attitudes and behaviour towards mental illness in London compared to other English regions (2009-2017)
Sampogna	I	Time To Change: are social networks really useful in challenging stigma?
Deb	UK	Is campaign awareness associated with improved knowledge, attitudes, intended behaviour and observed positive treatment towards people with mental illness?
Symposium 4.3: (Organiser: Bastiaansen, NL) The use of Experience Sampling as a clinical tool to personalize and contextualise mental health care		
Bastiaansen	NL	Personalized feedback based on the experiencing sampling method as a tool to boost depression treatment (ZELF-i): common patterns and individual differences
Bak	NL	N=1 network analyses may be additive to clinical assessment and treatment
Steinhart	B	ACT in Daily Life – A Momentary Intervention Approach to Acceptance and Commitment Therapy
Bos	NL	ESM in clinical practice: the possibilities, the pitfalls, and the promise
Symposium 4.4: (Organiser: Wunderink, NL) Less is more; antipsychotic dose-reduction and discontinuation in first and multiple episode psychosis: an update on upcoming, running and completed trials		
Wunderink	NL	Predicting Relapse and Outcome in First Episode Psychosis; Treatment Strategies and Negative Symptoms
Nordentoft	DK	Discontinuation versus maintenance therapy with antipsychotic medication in schizophrenia -Tailor: A randomized controlled trial
Killackey	AUS	Better functioning sooner in first episode psychosis? Introducing the Reduce RCT comparing dose reduction of anti-psychotic medication to maintenance treatment
Veling	NL	To continue or not to continue: the HAMLETT study – Handling Antipsychotic Medication: Long-term Evaluation of Tapered Treatment
Moncrieff	UK	The Bitterest Pills: antipsychotic-induced alterations, implications for the treatment of psychosis and design of a randomised trial of antipsychotic discontinuation
Symposium 4.5: (Organiser: Van der Meer, NL) Recovery and rehabilitation in service users in need of longer term intensive clinical treatment		
Van der Meer	NL	Active Recovery Triad: a new initiative to provide hope and perspective for service users with severe mental illness in need of long-term clinical care
Zomer	NL	The ART monitor; research on its validity and implementation
Killaspy	UK	How to engage people with severe negative symptoms in activities; learning from the GetREAL trial
Mulder	NL	Flexible Assertive Community Treatment and ART

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Symposium 4.6: (Organiser: Amaddeo, I)		
Psychiatric re-hospitalisation by Record Linkage of Large Administrative Data Sets: the EU CEPHOS_LINK Study		
Straßmayr	A	Comparing and predicting psychiatric re-hospitalisation rates across countries by using routine health care data: possibilities and limitations
Donisi	I	Which factors before discharge have to be considered to prevent re-hospitalisation?
Ådnanes	N	Mental health service users' experiences of hospitalisation and re-hospitalisation to hospital - a focus group study in six countries
Wahlbeck	F	Reducing psychiatric re-hospitalisation with the help of a Decision Support System
Ådnanes	N	Mental health service users' experiences of admission and readmission to hospital — a focus group study in six countries
Symposium 4.7: (Organiser: Jörg, NL)		
Lifestyle interventions and their effect on metabolic risks of patients with SMI: enhancing enduring results		
Scheewe	NL	Physical (in)activity and energy intake in schizophrenia patients and matched healthy controls; results of the TOPFIT study
Deenik	NL	The effects of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients on physical activity and metabolic health (MULTI-study)
Jörg	NL	Improving lifestyle in people with severe mental illness: Are we running on the right path?
Jörg	NL	Lessons learned from lifestyle intervention trials aiming to improve cardiometabolic health in persons with a severe mental illness
10.00-10.45		
Coffee break		
10.45-12.00		
Keynote lectures Theme Assessment: Understanding the context		
Wichers	NL	The dynamic nature of psychopathology and the relevance of micro-level context
Valmaggia	UK	
12.00-13.00: Oral presentation sessions 5.1-5.7		
Oral presentation session 5.1: Implementation in care		
Salize	D	Non-adherence to anti-psychotic medication guidelines in outpatient schizophrenia care affects hospital readmission and costs
Ruud	N	A pairwise randomized study on implementation of guidelines and evidence based treatments of psychoses
Van Veldhuizen	NL	Lessons from dissemination of the Flexible ACT model in the Netherlands
Bergmark	S	Facilitators and Barriers for Sustainable Implementation of Integrated Support in a Sectorised Community Mental Health Service System – Experiences from a Swedish Project
Oral presentation session 5.2: Social context		
Bousfield	UK	Experiences of social exclusion in service users with severe mental illness
Petkari	CY	Mov(i)es to Destigmatisation: An intervention with future mental health professionals in the United Arab Emirates
Hansson	S	The effectiveness of Narrative Enhancement and Cognitive Therapy. A randomized controlled study of a self-stigma intervention
Van Audenhove	B	Evaluation of the mental health reform in Belgium: a baseline assessment of the perspective of patients, family carers and professionals
Oral presentation session 5.3: Community care		
Lorant	B	Effectiveness of networks of health and social services on continuity of care and social integration: a case-control study for patients with severe mental illness
Hare Duke	UK	Sense of belonging and social connectedness, what are we measuring?

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Kroon	NL	Monitoring deinstitutionalisation and community care in the Netherlands: system changes, outcome and future directions
McGeorge	AUS	My Choice: Pathways to Community Living in New South Wales, Australia
Oral presentation session 5.4: Disease burden		
Nosè	I	Prevalence and correlates of psychological distress and psychiatric disorders in asylum seekers and refugees resettled in an Italian catchment area
Bejerholm	S	My Way Forward: An intervention for increased mental health, empowerment and participation among newly arrived refugees in Sweden
Ormel	NL	Why the burden of common mental disorder has not and will not drop
Huertas	E	Factors associated with suicidal risk in general population in Andalusia (Spain). The PISMA ep- Study
Oral presentation session 5.5: Recovery-focused interventions		
Edan	AUS	PULAREveryday - a consumer led project
Cameron	UK	A co-produced 'Building Resilience for Mental Health Recovery' Recovery College course – research and evaluation findings
Bendtsen	S	Participation and Shared decision making in a recovery oriented educational intervention for mental health professionals
Van der Krieke	NL	Personal recovery of Dutch service users compared to siblings and healthy controls
Oral presentation session 5.6: Engagement in care		
White	UK	Development and validation of an objective measure of a service user's pattern of engagement with secondary mental health services
Lassemo	N	Decomposing psychiatric re-hospitalisation rates in Norway
Fletcher	AUS	Victorian consumer and staff experiences of the Safewards trial
Van Kranenburg	NL	Long term compulsory treatment for difficult-to-engage and homeless dual diagnosis patients
Oral presentation session 5.7: Decision making		
Puschner	D	Testing the CEDAR model on the relation between clinical decision making and outcome
Schön	S	Interactivity in Shared Decision Making in Swedish mental health services; A process evaluation of a tool to support user participation
Coffey	UK	Barriers to, and facilitators of, collaborative, recovery-focused, care planning and coordination in UK mental health services: findings from COCAPP and COCAPPA
Moran	IL	Perceived assistance in pursuing personal goals and personal recovery among mental health consumers across housing services
13.00-14.15		
Lunch		
14.15-15.30		
Keynote lectures Theme Approaches: Novel approaches using the patient's own context		
Salvador-Carulla	AUS	
Van Zelst	NL	
15.30-16.30: Parallel Symposium sessions 6.1-6.7		
Symposium 6.1: (Organiser: Castelein, NL) Let's recover! Restructuring health care and the use of recovery-oriented interventions		
Castelein	NL	Mapping recovery with large naturalistic cohorts and latent class growth analysis in people with psychotic disorders
Roebroek	NL	The evaluation of TREAT: a computerized clinical decision support system for the treatment of psychotic disorders

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Van Dam	NL	Cognitive Adaptation Training: is it effective as a nursing intervention in people with severe mental illness in need of long-term intensive clinical treatment?
Vogel	NL	Home-based Peer Support and Skill Training for people with Psychotic disorders: a Recovery oriented Intervention
Symposium 6.2: (Organiser: Galeazzi, I) Dilemmas of choice in mental health care		
Galeazzi	I	Choosing and requesting to change psychiatrist in community mental health services: results of a literature review
Henderson	UK	Informed, advance treatment refusals by people with severe mental illness: demand, content and correlates
Ruggeri	I	Italian psychiatric residential facilities: a recovery oriented choice or a step backward to institutionalization? The VALERE Project
Samele	UK	An employment pilot to support forensic mental health service users into work and vocational activities: choices and opportunities
Symposium 6.3: (Organiser: Deenik, NL) What we can we offer long-term inpatients with psychosis: do's and don'ts regarding the treatment and quality of life		
Deenik	NL	The effects of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients on patient-oriented outcomes (MULTI-study)
Deenik	NL	Evaluating the implementation of a multidisciplinary lifestyle-enhancing treatment for severe mentally ill inpatients (MULTI-study)
Shakir	NL	Concurrent treatment with typical and atypical antipsychotics; double trouble
Van Oort	NL	Association between antipsychotics, movement disorders and accelerometer-measured physical activity in schizophrenia
Symposium 6.4: (Organiser: Salinas-Perez, E) Implementation of context analysis in decision support systems for evidence-informed policy		
Salinas-Perez	E	The use of integrated atlases of care for assessing availability, diversity and capacity of regional mental health systems in Australia
Gutiérrez-Colosía	E	Standard comparison of local mental health care systems in three regions of Spain (Andalucía, Cataluña, Basque Country): REFINEMENT España project
Rodero Cosano	E	Spatial analysis of psychiatric epidemiological data in Andalusia
García-Alonso	E	Impact assessment of micromanagement interventions on mental health care systems: the case of Bizkaia (Basque country, Spain)
Almeda	E	Bayesian networks in mental health care: preliminary findings
Symposium 6.5: (Organiser: Feenstra, NL) Use of observational data to gain insight into disease burden and treatment choices. Case studies in depression and psychosis		
Kan	NL	The clinical effectiveness of a structured guideline-based treatment program for depression in specialized mental health care: A comparison with efficacy trials
Howdon	NL	Early-Life Socioeconomic Conditions and Depression in Older Adults
Freriks	NL	Factors underlying short-term cost-effectiveness of Child and Adolescent Mental Health Services
Symposium 6.6: (Organiser: Van den Brink, NL) The social context of mental health in later life; implications for care		
Van den Brink	NL	Epidemiological studies on the influence of social relationships on mood problems
Oude Voshaar	NL	Epidemiological studies on the influence of social relationships on cognitive decline
Von Faber	NL	Lessons learned from screening programs on depressive symptoms: interviews with older people on cause and need for care for low mood
Machielse	NL	Lessons learned from house calls to older inhabitants to address loneliness and social isolation: an action programme of the Rotterdam municipality
Symposium 6.7: (Organiser: Pijnenborg, NL) Insight in psychosis: integrating a social and neuropsychiatric perspective?		
Larabi	NL	Insight and emotion regulation in schizophrenia: an fMRI study
Pijnenborg	NL	Brain areas associated with insight in psychotic disorders: a meta-analysis
Van der Meer	NL	Changes in insight in psychosis and corresponding changes in functional connectivity during self-reflection: a 12-week follow-up study

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Hasson-Ohayon	IL	Insight into the illness: correlations with outcomes among patients and their parents
Jørgensen	DK	Critical evaluation of the construct cognitive insight and how we measure it
16.30-17.00		
Coffee break		
17.00-18.00: Parallel Symposium sessions 7.1-7.7		
Symposium 7.1 (Organiser: Keetharuth, UK) Assessing recovery in mental health populations: a need for instruments that measure what matters most to service users		
Brazier	UK	The ReQoL measures: combining qualitative and quantitative evidence to produce a psychometrically robust measure
Connell	UK	Quality of life, are we asking the right questions: mental health service user views on potential items for the recovering quality of life measure (ReQoL)
Keetharuth	UK	Combining qualitative and quantitative evidence to produce a psychometrically robust measure
Grundy	UK	A critical assessment of patient/service user involvement in constructing the ReQoL
Barbic	CDN	Understanding how to measure recovery in a clinically meaningful way: An example from the Canada Personal Recovery Outcome Measure (PROM) Project
Symposium 7.2 (Organiser: Korevaar, NL) Supported Education: community participation for people with psychiatric disabilities		
Korevaar	NL	What hinders and what helps?
Rosenberg	S	A working life on the horizon - Supported education for young adults with mental health problems in Sweden
Hofstra	NL	Use of the tool 'To tell or not to tell?' to help students decide whether or not to disclose their psychiatric disability in an educational setting: a European feasibility study
Hiddink	NL	Evaluation of a Supported Education career guidance course for (young) adults with psychiatric disabilities
Symposium 7.3 (Organiser: Killaspy, UK) The QuEST Study: Quality and Effectiveness of Supported Tenancies for People with Mental Health Problems. A national programme of research across England		
Killaspy	UK	The QuEST Study: Quality and Effectiveness of Supported Tenancies for People with Mental Health Problems. A national programme of research across England
Krotofil	UK	International systematic review of the evidence for different models of supported accommodation for people with mental health problems
McPherson	UK	What works? A new taxonomy for the classification of mental health supported accommodation services
Dalton-Locke	UK	Predictors of quality of supported accommodation services in England
Dowling	UK	Results of a study of staff morale in mental health supported accommodation in England
Symposium 7.4 (Organiser: Meesters, NL) Severe mental illness in later life: recent research relevant for mental health care in a scientifically much neglected area		
Chang	UK	Risk of Physical Healthcare Admissions for People with Severe Mental Illness at Older Age
Lange	NL	Course and predictors of symptomatic remission in late-life schizophrenia: a 5-year follow-up study in a Dutch psychiatric catchment area
Smeets-Janssen	NL	Unravelling the pathogenesis of schizophrenia: the importance of age at onset
Meesters	NL	Promoting resilience in older persons with schizophrenia: the case of The New Club, a novel facility offering social contact and activities
Symposium 7.5 (Organiser: Van Asselt, NL) Costs and economic evaluation in mental health care: how to make it work?		
Bourke	IRL	Borderline Personality Disorder: What are the costs in Ireland?
Looijmans	NL	Cost-effectiveness of a 12-month multidimensional lifestyle intervention to improve cardiometabolic health in patients with a severe mental illness

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Sanches	NL	Societal costs for individuals with severe mental illness
Symposium 7.6 (Organiser: Moreno-Küstner, E) Attitude towards people with mental disorders in university students of health sciences From Portugal, Spain and Chile. A Maristán network study		
Petkari	E	Attitudinal change towards mental illness in students through clerkship: a meta-analysis
Masedo Gutiérrez	E	Attitudes toward people with mental illness in university students of medicine, nursing, occupational therapy and psychology students' degrees. An international comparison between Chile and Spain
Grandón	RCH	Stigma towards people with mental disorders in students of health-related degrees from Chile and Spain
Xavier	P	Impact of clerkship in the attitudes towards people with mental illness: a comparison between medical students from Portugal, Spain and Chile
Symposium 7.7 (Organiser: Alberts, NL) Prevalence and prevention of victimization in persons with severe mental illness: findings from a national research programme in The Netherlands		
De Vries	NL	Prevalence rate and risk factors of victimization in patients with a psychotic disorder: A systematic review and meta-analysis
Van der Stouwe	NL	Victimization and brain responses to emotional facial expressions in individuals with a psychotic disorder: results of the Beatvic study
Albers	NL	Identifying subgroups among outpatients with severe mental illness based on social factors of victims and perpetrators
Klein Tuinte	NL	Development of Virtual Reality aggression prevention training (VRAPT) for forensic psychiatric inpatients
Ruijne	NL	A cluster randomized controlled 12-month trial comparing detection of domestic violence (DV) in psychiatric patients of community mental health (CMH) teams trained in DV versus untrained teams: The BRAVE-R study
19.30		
Conference Dinner at Der Aa-kerk		

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Saturday, October 7

9.00-10.00: Oral presentation sessions 8.1-8.7		
Oral presentation session 8.1: Recovery-focused practice		
Van Erp	NL	Development of a quality standard for recovery-oriented care
Rudd	UK	Working with HOPE: Implementing a recovery framework within a Scottish community mental health charity
Edan	AUS	PULSAR: Implementing Recovery Oriented Practice in Primary and Secondary Care
Dalsgaard	DK	Facilitating recovery in a lifeworld context
Oral presentation session 8.2: Activation		
Arjadi	NL	Toward bridging the mental health gap in low-middle income countries: short-term effectiveness of internet-based behavioral activation for depression in Indonesia
Williams	UK	'Walk this Way' A pilot RCT of an intervention to support people to be more physically active
Liemburg	NL	Relationship between subdomains of negative symptoms and neurocognitive and social cognitive deficits and community functioning
Bryl	USA	The role of dance/movement therapy in the treatment of negative syndrome and psychosocial functioning of patients with schizophrenia – preliminary results from a pilot study
Oral presentation session 8.3: Social outcomes & Lifestyle		
Lexén	S	Social outcomes of Flexible ACT for clients with schizophrenia and other psychoses: A longitudinal study
Harrison	UK	Assessing and Measuring Social Inclusion in Mental Health Settings
Eklund	S	Balancing Everyday Life (BEL) for people with severe mental illness – effective for activity engagement and level of functioning in an RCT study
Milner	UK	Addressing the religiosity gap: Spirituality as a key dimension of mental health and recovery
Oral presentation session 8.4: Care content & Vocational rehabilitation		
Van Hout	NL	Telecare: mapping, articulating and understanding practices. How technology changes the (professional) context
McCabe	UK	Going where no other researchers go: Collecting information from primary and secondary care notes of people with severe mental illness in England: A multi-site cross-sectional observational study
Rüsch	D	Predictors of re-employment and mental health service use among unemployed people with mental health problems: a longitudinal study
Birken	UK	Supporting community engaged post discharge from hospital to reduce readmission and crisis services use: a feasibility study of an innovative intervention
Oral presentation session 8.5: Therapeutic relationship		
Goldsmith	UK	Psychological Treatments for Early Psychosis can be Beneficial or Harmful, Depending on the Therapeutic Alliance: an Instrumental Variables Analysis
Ådnanes	N	Is patient-rated quality of life associated with continuity of care, therapeutic relation and unmet service needs? A study of outpatient mental health service users in Norway
Bourmorck	B	Has personal continuity of care an effect on service use?
Fletcher	AUS	Victorian Safewards Trial: Evaluation of Training Outcomes
Oral presentation session 8.6: Forensic issues		
Bulla	D	Are migrants from disadvantaged countries at a higher risk than others for involuntary treatment in a secure mental hospital?
Miglietta	I	Aggressive episodes in in-patient psychiatric care in the Veneto Region (Italy). Findings from the Italian sites of the COFI study
Hilterman	NL	Introduction to and use of the DIARI: Decision-making In Abusive Relationships Interview
Roeg	NL	Interviews with clinicians on their perception of need factors of Intimate Partner Violence victims

* This programme is preliminary and may be subject to changes. No rights may be derived from it.

Oral presentation session 8.7: Young clients		
Raven	NL	Mental health care use during the transition from adolescence to early adulthood. Results from a prospective community-based cohort study
Lassri	IL	Headspace Israel: An integrative clinical model providing psychological services focusing on prevention and early intervention and preliminary findings
Loos	D	Lost in Transition? Perspectives from young people with mental health problems and staff during the process of transfer of care
Freriks	NL	Psychiatric Modeling Framework for ADHD based on Global Functioning
10.00-11.15		
Keynote lectures Theme Policy: Societal challenges for community mental health		
Delespaul	NL	Mental Health as a Public Health Challenge: we need resilient, supportive communities to improve personal mental resilience
McKenzie	CDN	
11.15-11.45		
Coffee break		
11.45-12.30		
Closing Keynote lecture		
Ruggeri	I	
12.30-13.00		
Closing session (Poster award ceremony)		

* This programme is preliminary and may be subject to changes. No rights may be derived from it.